ANALYTICA CHIMICA ACTA, VOL. 200 (1987)

# AUTHOR INDEX


Adams, F., see Liu, X. 421
Alder, J. F., see Davis, A. S. 593
Arima, Y., see Hiraide, M. 171
Atwater, J. B., see Leyden, D. E. 459

Bayer, Th., see Wehnert, G. 73
Bazanova, O. V., see Zolotov, Y. A. 21
Benmakroha, F., see Davis, A. S. 593
Berg, C. M. G., van den, see van den Berg, C. M. G. 291
Berndt, H.
—, Schaldach, G. and Klockenkämper, R. Improvement of the detection power in electrothermal atomic absorption spectrometry by summation of signals. Determination of traces of metals in drinking water and urine 573
Bernhard, J.-P.
—, Buffle, J. and Parthasarthy, N. Application of amalgam electrodes in studies of heavy metals under natural water conditions 191
Bigwood, D. W.
—, Heller, S. R., Wolf, W. R., Schubert, A. and Holden, J. M. SELEX: an expert system for evaluating published data on selenium in foods 411
Blitz, J. P., see Leyden, D. E. 459
Bock, H., see van Zoonen, P. 131
Boef, G., den, see den Boef, G. 533
Bohanec, S., see Zupan, J. 333
Bond, A. M.
—, Hudson, H. A., Luscombe, D. L., Timms, K. L. and Walter, F. L. Continuous monitoring of copper and cadmium in zinc plant electrolyte using a microprocessor-based battery-operated data acquisition system, multiple ion-selective electrodes and redundancy principles 213
Brown, S. D., see Monfre, S. L. 397
Buffle, J., see Bernhard, J.-P. 191
Burns, D. T.
—, Eltayeb, M. A.-Z. and Flockhart, B. D. Identification and determination of aromatic nitro compounds by electron spin resonance spectrometry 481

Busch, K. L., see Stanley, M. S. 447

Carpenter, R. C., see Ebdon, L. 551
Casey, H., see Clinch, J. R. 523
Chatt, A., see Ryan, D. E. 89
Chatten, L. G.
—, Moskalyk, R. E., Chin, A. and Zuman, P. A study of the polarographic reduction of methaqualone 281
Chin, A., see Chatten, L. G. 281
Christian, G. D., see Hungerford, J. M. 1
Christie, B. D.
— and Munk, M. E. The application of two-dimensional nuclear magnetic resonance spectroscopy in computer-assisted structure elucidation 347
Clinch, J. R.
—, Worsfold, P. J. and Casey, H. An automated spectrophotometric field monitor for water quality parameters. Determination of nitrate 523
Collison, M. E.
— and Meyerhoff, M. E. Continuous-flow enzymatic determination of creatinine with improved on-line removal of endogenous ammonia 61
Covington, A. K.
— and Rebelo, M. J. F. Determination of pH values over the temperature range 5—60°C for some operational reference standard solutions and values of the conventional residual liquid-junction potentials 245

Davis, A. S.
—, Leontakianakos, A. N., Benmakroha, F., Wang, P., Haider, R., Alder, J. F. and Thirup, G. Microwave spectral emission from a glow discharge-filled 18—26 GHz Fabry-Perot cavity spectrometer 593
Den Boef, G., see Kok, W. Th. 533
Deterding, L. J.
— and Gross, M. L. Fast-atom-bombardment and tandem mass spectrometry for determining struc-

tures of fatty acids as their picolinyl ester derivatives 431
Dittrich, K.
— and Stärk, H.-J.
Laser-excited molecular fluorescence spectrometry for the determination of traces of nonmetals. Part 1. Determination of traces of fluoride, chloride and bromide based on diatomic molecules in a graphite furnace 581
Doherty, S. J., see Stanley, M. S. 447
Dorn, A. W., see Thompson, M. 319
Duffin, K. L., see Stanley, M. S. 447
Dyrssen, D.
— and Wedborg, M.
The influence of fluoride and sulphate on buffers used for the determination of the pH and speciation of protolytes in seawater 261

Ebdon, L.
— and Carpenter, R. C.
Multi-element simplex optimization for inductively-coupled plasma/atomic emission spectrometry with a plasma torch having a wide-bore injector tube. Part 1. Conditions for optimum detection limit 551
Eltayeb, M. A.-Z., see Burns, D. T. 481
Espen, P., van, see van Espen, P. 421

Fanelli, N., see Meites, L. 387
Fang, Z.
—, Xu, S. and Zhang, S.
Fundamental and practical considerations in the design of on-line column preconcentration for flow-injection atomic spectrometric systems 35
Flockhart, B. D., see Burns, D. T. 481
Florence, T. M.
— and Mann, K. J.
Anodic stripping voltammetry with medium exchange in trace element speciation 305
Frei, R. W., see van Zoonen, P. 131
Fritz, J. S., see Jiang, S.-J. 559
Fujii, Y.
— and Pacey, G. E.
Investigations of the extraction of adenosine phosphates with *N,N'*-dioctadecyl-1,4-diazabicyclo-[2.2.2]octane and *N,N,N',N'*-tetramethyl-*N,N'*-dioctadecyldiammonium alkanes 181

George, T., see Otto, M. 379
Gooijer, C., see van Zoonen, P. 131
Gross, M. L., see Deterding, L. J. 431

Haider, R., see Davis, A. S. 593
Harsányi, E. G.
—, Tóth, K., Pungor, E., Soma, M. and Umezawa, Y.
Effect of applied current on copper sulphide-based ion-selective electrodes 227
Heineman, W. R., see Lunte, C. E. 101
Heller, S. R., see Bigwood, D. W. 411
Herold, Th., see Wehnert, G. 73
Hieftje, G. M., see Mitchell, J. C. 539
Hiraide, M.
—, Arima, Y. and Mizuike, A.
Separation and determination of traces of heavy metals complexed with humic substances in river waters by sorption on indium-treated Amberlite XAD-2 resin 171
Holden, J. M., see Bigwood, D. W. 411
Holzbecher, J., see Ryan, D. E. 89
Houk, R. S., see Jiang, S.-J. 559
Househam, B. C.
—, van den Berg, C. M. G. and Riley, J. P.
The determination of purines in fresh and sea water by cathodic stripping voltammetry after complexation with copper(I) 291
Hudson, H. A., see Bond, A. M. 213
Hungerford, J. M.
— and Christian, G. D.
Chemical kinetics with reagent dispersion in single-line flow-injection systems 1

Jacobsen, A.
—, Lund, W. and Jacobsen, E.
Polarographic studies of iron complexes as potential contrast agents in magnetic resonance imaging 269
Jacobsen, E., see Jacobsen, A. 269
Jiang, S.-J.
—, Palmieri, M. D., Fritz, J. S. and Houk, R. S.
Chromatographic retention of molybdenum, titanium and uranium complexes for removal of some interferences in inductively-coupled plasma mass spectrometry 559
Johansson, G., see Risinger, L. 313
Johnson, D. C., see Uddin, Z. 115

Kersey, M. T., see Lochmüller, C. H. 143
Klockenkämper, R., see Berndt, H. 573
Kok, W. Th.
—, Thuy, D. T., Nghi, T. V. and den Boef, G.
The application of strongly reducing agents in flow injection analysis. Part 6. Molybdenum(III) 533
Kolotyrkina, I. Y., see Zolotov, Y. A. 21
Košir, I., see Zupan, J. 333

Lah, L., see Zupan, J. 333
Laserna, J. J.
—, Torres, E. L. and Winefordner, J. D.
Studies of sample preparation for surface-enhanced Raman spectrometry on silver hydrosols 467
Lázaro, F., see Linares, P. 51
Leontakianakos, A. N., see Davis, A. S. 593
Leyden, D. E.
—, Shreedhara Murthy, R. S., Atwater, J. B. and Blitz, J. P.
Studies of alkoxysilane hydrolysis and condensation by Fourier-transform infrared spectroscopy with a cylindrical internal-reflection cell 459
Linares, P.
—, Lázaro, F., Luque de Castro, M. D. and Valcárcel, M.
Effects of ultrasonic irradiation in flow-injection systems 51
Liu, X.
—, van Espen, P., Adams, F., Yan, S. H. and Vanbelle, M.
Classification of Chinese tea samples according to origin and quality by principal component techniques 421
Lochmüller, C. H.
— and Kersey, M. T.
Examination of covalently bound polymeric stationary phases by luminescence spectroscopy 143
Lund, W., see Jacobsen, A. 269
Lunte, C. E.
—, Wheeler, J. F. and Heineman, W. R.
Voltammetric/amperometric detection for liquid chromatography 101
Luque de Castro, M. D., see Linares, P. 51
Luscombe, D. L., see Bond, A. M. 213
Lytle, F. E., see Steffen, R. L. 491

Maeda, S., see Takahashi, Y. 363
Mann, K. J., see Florence, T. M. 305
Markuszewski, R., see Uddin, Z. 117
Mascini, M.
—, Memoli, A. and Olana, F.
Electrochemical biosensors for determination of nystatin activity 237
Meites, L.
—, Fanelli, N. and Papoff, P.
The dependence of the variances of the parameters in non-linear regression analysis on the number of data points 387
Memoli, A., see Mascini, M. 237
Meyerhoff, M. E., see Collison, M. E. 61
Mitchell, J. C.
—, Steele, A. W. and Hieftje, G. M.
The use of discharge lamps as directly modulated atom reservoirs for selective line modulation in atomic emission spectrometry 539
Mizuike, A., see Hiraide, M. 171
Monfre, S. L.
— and Brown, S. D.
Estimation of ester hydrolysis parameters by using Fourier-transform infrared spectroscopy and the extended Kalman filter 397
Moskalyk, R. E., see Chatten, L. G. 281
Mottola, H. A., see Snelling, R. E. 503
Munk, M. E., see Christie, B. D. 347
Murakawa, T., see Wada, H. 515

Nakagawa, G., see Wada, H. 515
Nghi, T. V., see Kok, W. Th. 533
Nović, M., see Zupan, J. 333
Novikov, E. A., see Zolotov, Y. A. 21

Olana, F., see Mascini, M. 237
Otto, M.
— and George, T.
Application of multicomponent spectrophotometry in analysis of copper electroplating bath solutions 379

Pacey, G. E., see Fujii, Y. 181
Palmieri, M. D., see Jiang, S.-J. 559
Papoff, P., see Meites, L. 387
Parthasarthy, N., see Bernhard, J.-P. 191
Pomaville, R. M.
— and Poole, C. F.
Thermally stable, highly fluorinated stationary phases for gas chromatography 151
Poole, C. F., see Pomaville, R. M. 151
Pungor, E., see Harsányi, E. G. 227

Razinger, M., see Zupan, J. 333
Rebelo, M. J. F., see Covington, A. K. 245
Riley, J. P., see Househam, B. C. 291
Risinger, L.
—, Yang, X. and Johansson, G.
Deoxygenation of supporting electrolytes in stripping voltammetry by glucose and co-immobilized glucose oxidase and catalase in a flow system 313
Ryan, D. E.
—, Chatt, A. and Holzbecher, J.
Analysis for trace elements with a SLOWPOKE reactor 89

Sasaki, S.-I., see Takahashi, Y. 363
Sauerbrei, A., see Wehnert, G. 73
Schaldach, G., see Berndt, H. 573
Scheper, Th., see Wehnert, G. 73
Schubert, A., see Bigwood, D. W. 411
Schügerl, K., see Wehnert, G. 73
Shpigun, L. K., see Zolotov, Y. A. 21
Shreedhara Murthy, R. S., see Leyden, D. E. 459
Snelling, R. E.
— and Mottola, H. A.
On/off chemical determination of reactive amino groups immobilized on silica surfaces 503
Soma, M., see Harsányi, E. G. 227
Stanley, M. S.
—, Duffin, K. L., Doherty, S. J. and Busch, K. L.
Direct secondary-ion mass spectrometric analysis of mixtures separated by thin-layer chromatography and electrophoresis 447
Stärk, H.-J., see Dittrich, K. 581
Steele, A. W., see Mitchell, J. C. 539
Steffen, R. L.
— and Lytle, F. E.
Remote sensing in an optically dense environment by using two-photon excited fluorescence and a single multimode fiber optic 491

Takahashi, Y.
—, Maeda, S. and Sasaki, S.-I.
Automated recognition of common geometrical patterns among a variety of three-dimensional molecular structures 363
Thirup, G., see Davis, A. S. 593
Thompson, M.
—, Wong, H. E. and Dorn, A. W.
The Langmuir-Blodgett monolayer dipole potential: a smeared dipole model for a lipid array, and pulsing of the potential by direct subphase infusion of immunochemical and lectin/polysaccharide complexes 319
Thuy, D. T., see Kok, W. Th. 533
Timms, K. L., see Bond, A. M. 213
Torres, E. L., see Laserna, J. J. 469
Tóth, K., see Hársanyi, E. G. 227
Tuśar, M., see Zupan, J. 333

Uddin, Z.
—, Markuszewski, R. and Johnson, D. C.
Determination of inorganic sulfur species in highly alkaline solutions by liquid chromatography with polarographic detection 115
Umezawa, Y., see Harsányi, E. G. 227

Valcárcel, M., see Linares, P. 51
Vanbelle, M., see Liu, X. 421
Van den Berg, C. M. G., see Househam, B. C. 291
Van Espen, P., see Liu, X. 421
Van Zoonen, P.
—, Bock, H., Gooijer, C., Velthorst, N. H. and Frei, R. W.
Quenched peroxyoxalate chemiluminescence detection in aqueous liquid chromatographic separations 131
Velthorst, N. H., see van Zoonen, P. 131

Wada, H.
—, Murakawa, T. and Nakagawa, G.
Simultaneous determination of iron and copper ions by flow-injection analysis with a multichannel photodiode-array detector 515
Walter, F. L., see Bond, A. M. 213
Wang, P., see Davis, A. S. 593
Weber, G.
Speciation of tin in lemon juice: an example of trace metal speciation in food 79
Wedborg, M., see Dyrssen, D. 261
Wehnert, G.
—, Sauerbrei, A., Bayer, Th., Scheper, Th. and Schügerl, K.
Application of an enzyme thermistor for the determination of glucose in complex fermentation media 73
Wheeler, J. F., see Lunte, C. E. 101
Winefordner, J. D., see Laserna, J. J. 469

Wolf, W. R., see Bigwood, D. W. 411
Wong, H. E., see Thompson, M. 319
Worsfold, P. J., see Clinch, J. R. 523

Xu, S., see Fang, Z. 35

Yan, S. H., see Liu, X. 421
Yang, X., see Risinger, L. 313

Zhang, S., see Fang, Z. 35
Zolotov, Y. A.
—, Shpigun, L. K., Kolotyrkina, I. Y., Novikov, E. A. and Bazanova, O. V.
The trace determination of some heavy metals in waters by flow-injection spectrophotometry and potentiometry 21
Zoonen, P., van, see van Zoonen, P. 131
Zuman, P., see Chatten, L. G. 281
Zupan, J.
—, Nović, M., Bohanec, S., Razinger, M., Lah, L., Tušar, M. and Košir, I.
Expert system for solving problems in carbon-13 nuclear magnetic resonance spectroscopy 333

# ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

*(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)*

**VOL. 200 NO. 1 CELEBRATION ISSUE CONTENTS SEPTEMBER 1, 1987**

*General Analytical Chemistry*

Chemical kinetics with reagent dispersion in single-line flow-injection systems
J. M. Hungerford and G. D. Christian (Seattle, WA, U.S.A.) . . . . . 1

The trace determination of some heavy metals in waters by flow-injection spectrophotometry and potentiometry
Y. A. Zolotov, L. K. Shpigun, I. Y. Kolotyrkina, E. A. Novikov and O. V. Bazanova (Moscow, U.S.S.R.). . . . 21

Fundamental and practical considerations in the design of on-line column preconcentration for flow-injection atomic spectrometric systems
Z. Fang, S. Xu and S. Zhang (Shenyang, China). . . . . 35

Effects of ultrasonic irradiation in flow-injection systems
P. Linares, F. Lázaro, M. D. Luque de Castro and M. Valcárcel (Córdoba, Spain). . . . . 51

Continuous-flow enzymatic determination of creatinine with improved on-line removal of endogenous ammonia
M. E. Collison and M. E. Meyerhoff (Ann Arbor, MI, U.S.A.). . . . . 61

Application of an enzyme thermistor for the determination of glucose in complex fermentation media
G. Wehnert, A. Sauerbrei, Th. Bayer, Th. Scheper, K. Schügerl (Hannover, F.R.G.) and Th. Herold (Göttingen, F.R.G.). . . . . 73

Speciation of tin in lemon juice: an example of trace metal speciation in food
G. Weber (Dortmund, F.R.G.). . . . . 79

Analysis for trace elements with a SLOWPOKE reactor
D. E. Ryan, A. Chatt and J. Holzbecher (Halifax, N.S., Canada) . . . . . 89

*Separations*

Voltammetric/amperometric detection for liquid chromatography
C. E. Lunte, J. F. Wheeler and W. R. Heineman (Cincinnati, OH, U.S.A.) . . . . . 101

Determination of inorganic sulfur species in highly alkaline solutions by liquid chromatography with polarographic detection
Z. Uddin, R. Markuszewski and D. C. Johnson (Ames, IA, U.S.A.). . . . . 115

Quenched peroxyoxalate chemiluminescence detection in aqueous liquid chromatographic separations
P. van Zoonen, H. Bock, C. Gooijer, N. H. Velthorst and R. W. Frei (Amsterdam, The Netherlands) . . . . . 131

Examination of covalently bound polymeric stationary phases by luminescence spectroscopy
C. H. Lochmüller and M. T. Kersey (Durham, NC, U.S.A.) . . . . . 143

Thermally stable, highly fluorinated stationary phases for gas chromatography
R. M. Pomaville and C. F. Poole (Detroit, MI, U.S.A.) . . . . . 151

Separation and determination of traces of heavy metals complexed with humic substances in river waters by sorption on indium-treated Amberlite XAD-2 resin
M. Hiraide, Y. Arima and A. Mizuike (Nagoya, Japan) . . . . . 171

Investigations of the extraction of adenosine phosphates with *N,N'*-dioctadecyl-1,4-diazabicyclo-[2.2.2]octane and *N,N,N',N'*-tetramethyl-*N,N'*-dioctadecyl-diammonium alkanes
Y. Fujii (Gifu City, Japan) and G. E. Pacey (Oxford, OH, U.S.A.) . . . . . 181

*Electrometric Methods*

Application of amalgam electrodes in studies of heavy metals under natural water conditions
J.-P. Bernhard, J. Buffle and N. Parthasarthy (Geneva, Switzerland) . . . . . 191

Continuous monitoring of copper and cadmium in zinc plant electrolyte using a microprocessor-based battery-operated data acquisition system, multiple ion-selective electrodes and redundancy principles
A. M. Bond, H. A. Hudson, D. L. Luscombe, K. L. Timms and F. L. Walter (Waurn Ponds, Vic., Australia) . . . . . 213

*(Continued overleaf)*

*(Contents continued)*


Effect of applied current on copper sulphide-based ion-selective electrodes
E. G. Harsányi, K. Tóth, E. Pungor (Budapest, Hungary), M. Soma (Ibaraki, Japan) and Y. Umezawa (Sapporo, Japan) . . . . . 227

Electrochemical biosensors for determination of nystatin activity
M. Mascini (Firenze, Italy), A. Memoli and F. Olana (Rome, Italy). . . . . 237

Determination of pH values over the temperature range 5–60°C for some operational reference standard solutions and values of the conventional residual liquid-junction potentials
A. K. Covington and M. J. F. Rebelo (Newcastle upon Tyne, Gt. Britain). . . . . 245

The influence of fluoride and sulphate on buffers used for the determination of the pH and speciation of protolytes in seawater
D. Dyrssen and M. Wedborg (Göteborg, Sweden) . . . . . 261

Polarographic studies of iron complexes as potential contrast agents in magnetic resonance imaging
A. Jacobsen, W. Lund and E. Jacobsen (Oslo, Norway) . . . . . 269

A study of the polarographic reduction of methaqualone
L. G. Chatten, R. E. Moskalyk, A. Chin (Edmonton, Alb., Canada) and P. Zuman (Potsdam, NY, U.S.A.) . . . 281

The determination of purines in fresh and sea water by cathodic stripping voltammetry after complexation with copper(I)
B. C. Housebam, C. M. G. van den Berg and J. P. Riley (Liverpool, Gt. Britain) . . . . . 291

Anodic stripping voltammetry with medium exchange in trace element speciation
T. M. Florence and K. J. Mann (Menai, N.S.W., Australia). . . . . 305

Deoxygenation of supporting electrolytes in stripping voltammetry by glucose and co-immobilized glucose oxidase and catalase in a flow system
L. Risinger, X. Yang and G. Johansson (Lund, Sweden) . . . . . 313

The Langmuir-Blodgett monolayer dipole potential: a smeared dipole model for a lipid array, and pulsing of the potential by direct subphase infusion of immunochemical and lectin/polysaccharide complexes
M. Thompson, H. E. Wong and A. W. Dorn (Toronto, Ont., Canada) . . . . . 319

*Computer Methods and Applications*

Expert system for solving problems in carbon-13 nuclear magnetic resonance spectroscopy
J. Zupan, M. Novič, S. Bohanec, M. Razinger, L. Lah, M. Tušar and I. Košir (Ljubljana, Yugoslavia) . . . . . 333

The application of two-dimensional nuclear magnetic resonance spectroscopy in computer-assisted structure elucidation
B. D. Christie and M. E. Munk (Tempe, AZ, U.S.A.) . . . . . 347

Automated recognition of common geometrical patterns among a variety of three-dimensional molecular structures
Y. Takahashi, S. Maeda and S.-I. Sasaki (Toyohashi, Japan). . . . . 363

Application of multicomponent spectrophotometry in analysis of copper electroplating bath solutions
M. Otto and T. George (Freiberg, G.D.R.). . . . . 379

The dependence of the variances of the parameters in non-linear regression analysis on the number of data points
L. Meites (Fairfax, VA, U.S.A.), N. Fanelli and P. Papoff (Pisa, Italy) . . . . . 387

Estimation of ester hydrolysis parameters by using Fourier-transform infrared spectroscopy and the extended Kalman filter
S. L. Monfre and S. D. Brown (Newark, DE, U.S.A.). . . . . 397

SELEX: an expert system for evaluating published data on selenium in foods
D. W. Bigwood, S. R. Heller, W. R. Wolf, A. Schubert and J. M. Holden (Beltsville, MD, U.S.A.). . . . . 411

Classification of Chinese tea samples according to origin and quality by principal component techniques
X. Liu, P. van Espen, F. Adams (Wilrijk, Belgium), S. H. Yan and M. Vanbelle (Louvain la Neuve, Belgium) . . . . . 421

*Spectrometric Methods*

Fast-atom-bombardment and tandem mass spectrometry for determining structures of fatty acids as their picolinyl ester derivatives
L. J. Deterding and M. L. Gross (Lincoln, NE, U.S.A.). . . . . 431

Direct secondary-ion mass spectrometric analysis of mixtures separated by thin-layer chromatography and electrophoresis
M. S. Stanley, K. L. Duffin, S. J. Doherty and K. L. Busch (Bloomington, IN, U.S.A.) . . . . . 447
Studies of alkoxysilane hydrolysis and condensation by Fourier-transform infrared spectroscopy with a cylindrical internal-reflection cell
D. E. Leyden, R. S. Shreedhara Murthy, J. B. Atwater and J. P. Blitz (Fort Collins, CO, U.S.A.). . . . . 459
Studies of sample preparation for surface-enhanced Raman spectrometry on silver hydrosols
J. J. Laserna, E. L. Torres and J. D. Winefordner (Gainesville, FL, U.S.A.) . . . . . 469
Identification and determination of aromatic nitro compounds by electron spin resonance spectrometry
D. Thorburn Burns, M. A.-Z. Eltayeb and B. D. Flockhart (Belfast, Northern Ireland). . . . . 481
Remote sensing in an optically dense environment by using two-photon excited fluorescence and a single multimode fiber optic
R. L. Steffen and F. E. Lytle (West Lafayette, IN, U.S.A.) . . . . . 491
On/off chemical determination of reactive amino groups immobilized on silica surfaces
R. E. Snelling and H. A. Mottola (Stillwater, OK, U.S.A.). . . . . 503
Simultaneous determination of iron and copper ions by flow-injection analysis with a multichannel photodiode-array detector
H. Wada, T. Murakawa and G. Nakagawa (Nagoya, Japan). . . . . 515
An automated spectrophotometric field monitor for water quality parameters. Determination of nitrate
J. R. Clinch, P. J. Worsfold (Hull, Gt. Britain) and H. Casey (Wareham, Gt. Britain) . . . . . 523
The application of strongly reducing agents in flow injection analysis. Part 6. Molybdenum(III)
W. Th. Kok, D. T. Thuy, T. V. Nghi and G. den Boef (Amsterdam, The Netherlands) . . . . . 533
The use of discharge lamps as directly modulated atom reservoirs for selective line modulation in atomic emission spectrometry
J. C. Mitchell, A. W. Steele and G. M. Hieftje (Bloomington, IN, U.S.A.) . . . . . 539
Multi-element simplex optimization for inductively-coupled plasma/atomic emission spectrometry with a plasma torch having a wide-bore injector tube. Part 1. Conditions for optimum detection limit
L. Ebdon (Plymouth, Gt. Britain) and R. C. Carpenter (Aldermaston, Gt. Britain). . . . . 551
Chromatographic retention of molybdenum, titanium and uranium complexes for removal of some interferences in inductively-coupled plasma mass spectrometry
S.-J. Jiang, M. D. Palmieri, J. S. Fritz and R. S. Houk (Ames, IA, U.S.A.). . . . . 559
Improvement of the detection power in electrothermal atomic absorption spectrometry by summation of signals. Determination of traces of metals in drinking water and urine
H. Berndt, G. Schaldach and R. Klockenkämper (Dortmund, F.R.G.) . . . . . 573
Laser-excited molecular fluorescence spectrometry for the determination of traces of nonmetals. Part 1. Determination of traces of fluoride, chloride and bromide based on diatomic molecules in a graphite furnace
K. Dittrich and H.-J. Stärk (Leipzig, G.D.R.) . . . . . 581
Microwave spectral emission from a glow discharge-filled 18–26 GHz Fabry-Perot cavity spectrometer
A. S. Davis, A. N. Leontakianakos, F. Benmakroha, P. Wang, R. Haider, J. F. Alder (Manchester, Gt. Britain) and G. Thirup (Aarhus, Denmark) . . . . . 593

Author Index 609